

## The BEST For Your NEST

## **TILE CATALOGUE**



# The BEST For Your NEST



## **About Us**

FAVOR (established in 2009) is among the top premium tile companies in india The Company manufactures a vast portfolio of tiles (floor and wall) & sanitaries .The company is Located in Bangalore, Inda. Its pan-India presence is faciliated through many offices. its strong distribution network comprises more direct dealers.

<sup>®</sup> The FAVOR Group consists of FAVOR tiles & sanitaries Our floor tiles consists of ceramic Tiles, Vitrified Tiles-soluble Salt, Ultra / Double charged, Gres Porcelain Tiles (Naturoc). HD Digital tiles

#### **Vision & MIssion**


To Continuously improve the quality and designs of products and to constantly increase customer focus is our prime vision.

- \* dreams.
- \*
- in all our dealings.

To launch innovative and world class product to help customers realize their

To manufacture products of the highest quality, creating industry benchmark. To fast and flexible, to be able to grasp opportunities in fast changing world. To be transparent and fair customers, suppliers shareholders and employees

## **GVT | PGVT TILES**









Glossy Tiles are popular amongst the masses due to their durability and strength. They are harder, denser and less porous than normal ceramic tiles. Even and symmetrical surface derived on these tiles, helps to spread the beauty of artistic designs. Besides, their polish too is equivalent to that of a marble which makes them a direct substitute of marble tiles, having altogether more strength and higher wear and tear resistance. Hence, these tiles are ideal for both indoor as well as outdoor applications for domestic, commercial and also for heavy traffic areas.





#### Shine Which Never Fades



Polish of prime league and shine of supreme set are together here to glorify your space



Intense glory of this finish is sure to baffle all affirmatively. These possess deep rooted finesses and inherent understanding of glamour that can convert your space into a paradise of a kind. So now give your space the blush of shine with high gloss finish.




WWW.FAVORCERAMICS.COM





PHOENIX BEIGE



PHOENIX COPPER



PHOENIX WHITE



ELECTRA



ROSALIA BROWN



FANTASTIC BLACK



GUATEMALA STONE



PORTUGUESE MARBLE



GUATEMALA STONE




PORTUGUESE MARBLE





BLACK PEARL

IMPERIAL CHOCO



EMPRADOR CHOCO



EMPRADOR GOLD



ONYX BROWN



ONYX DENIM








IMPERIAL CHOCO

RAIN FOREST GREEN







TALA NOIR MARBLE





BRAZILIAN STONE







DRAGON STONE



В







DRAGON STONE

4 LAY











В






EXOTIC MARBLE








FANTASTIC BLACK



В







FANTASTIC BLACK







INDIAN TRIANGAL







INDIAN TRIANGAL







LAURENT



В









## Shimmer That Spreads Glow




Brace your aura to wear the most radiant outfit to leave all in awe



Bring home the smartest form of shimmer that lets your persona shine till eternity. This finish possesses a subtle yet sophisticated form of glisten. Its smooth finish and seamless grace makes the surface vividly beautiful. This mélange of beauty and class will leave one and all in awe.













G-15017



G-15026

G-15726



MAGIC STATUARIO




FABULOUS MARBLE



CARRARA CLASSIC



CALACATTA MARBLE









G-15032



G-15191



G-15127



DYNEX BROWN



ROYAL ALMOND



BRECCIA BEIGE



ONICIATA BEIGE



ROYAL BIANCO



BRECCIA BEIGE











G-15741



BOTTOCHINO CLASSICO



GRAND BOTOCHINO



GRAND BOTOCHINO



SARAN ONYX



G-15022



G-15362



MISTY CLASSIC







G-15251



SARAN ONYX

SPREAD your shimmer like a pro





TRAVERTINE GIALLO



G-15711



AMAZON CLASSIC



NEW TRAVERTINE BLUE



NEW TRAVERTINE CHOCO



NEW TRAVERTINE CLASSIC





NEW TRAVERTINE CHOCO



AMAZON CLASSIC







CAFÉ BRUNO MARBLE



KATANI PINK



ELEGANT GREY



EARTH REAL



ROSE GOLD MARBLE



BRECCIA DIANA





EARTH REAL







G-15276



G-15736



PIETRA BROWN




G-15106



G-15121







### Earthen & Elegant



Adopt the raw format of natural beauty to adorn your space effortlessly



This finish is sure to make you fall in love with the earthen finesse and aesthetics of fine beauty that mother earth carries. It has a refined polish that will impart an incredible feel to your space. Besides, they also portray oneness with poise and tranquility.



# The BEST For Your NEST







PLANET BIANCO



PLANET COPPER



DESERT EARTH



DESERT MOCHA



PLANET CREMA



#### DESERT BIANCO

WONDERFUL creations with artistic flamboyance



R-12716









R-12721





SENSATION GRIS



VIENNA BROWN



VIENNA BLUE



SENSATION SMOKE



SENSATION PEARL

HYPNOTIC beauty to dilute perfection



AV ST

VIENNA BROWN



MAJESTIC BEIGE



MAJESTIC LITE



MAJESTIC LITE & MAJESTIC REAL







MAJESTIC ICE



MAJESTIC REAL

## Classic & Classy



Timelessness- eternal beauty of mother earth is all set to dazzle you



Bring home the priceless legacy of culturally rich finish that possesses finest finesse that can take you to a metaphorical trip to landscapes. Seamless appearance with even grace is what makes this set class apart. Indeed they can compliment your leeway in multiple manners.

WWW.FAVORCERAMICS.COM

VIENNA BROWN





NATURAL WOOD CLASSIC



BRAZILIAN BEECH















### Bring Home Nature



Embellish your ambiance using wooden centric tiles without harming environment



Let the majesty of natural wood take over! We bring to you wooden finish tiles that hold major resemblance with wooden finish. We have designed this finish for you to experience that beauty of real wood without harming the eco-diversity.



WWW.FAVORCERAMICS.COM







ANTIQUE GRIS



ANTIQUE PINE



AUTUMN PINE



AUTUMN MAHAGONY



BLACK WALNUT WOOD



COFFEE WOOD





ANTIQUE PINE















LERIX GREY

TRUNK WOOD



NUT WOOD



SNOW WOOD



TEAK WOOD



TIGER WOOD

BRING aboard the raw appeal



SMOKE BROWN

BIRCH WOOD



SMOKE BROWN & SMOKE AVANTE







BUTTERNUT WOOD



SMOKE AVANTE

# Style; that would add to your fashion quotient

#### **GVT | PGVT TILES** 195x1200mm

HERRING BONE






SQUARE ON SQUARE





HADDON HALL









To make your space earn its splash of natural elegance, we have wooden strips set. These can be clubbed with different décor plans and settings that would enhance the beauty of your space without much fuss. Simple, sober yet sophisticated polish of theirs will lift the aura of your space instantly.

BASKET WEAVE



## The BEST For Your NEST





#### ANTIQUE GRIS



ANTIQUE PINE



AUTUMN PINE



AUTUMN MAHAGONY



BLACK WALNUT WOOD



BIRCH WOOD



BUTTERNUT WOOD



BLACK WALNUT WOOD









LERIX GREY



FEATHER WOOD



SNOW WOOD



COFFEE WOOD







WWW.FAVORCERAMICS.COM









#### TRUNK WOOD



TEAK WOOD



#### TECHNICAL SPECIFICATION

SR. NO.	CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	SEGMA VALUE	TEST METHOD
А.	REGULATORY PROPERTIESZ			
1.	DEVIATION IN LENGTH & WIDTH	± 0.5%	± 0.1 %	ISO-10545-2
2.	DEVIATION IN THICKNESS	± 5.0%	± 4.0 %	ISO-10545-2
З.	STRAIGTHNESS OF SIDES	± 0.5%	± 0.1 %	ISO-10545-2
4.	RECTANGULARITY	± 0.5%	± 0. %	ISO-10545-2
5.	SURFACE FLATNESS	± 0.5%	± 0.2 %	ISO-10545-2
6.	COLOR DIFFERENSS	UNALTERED	NO CHANGE	ISO-10545-16
7.	GLOSSINESS	AS PER MANUFACTURER	MIN. 90%	GLOSSO MTR.
В.	STRUCTURAL PROPERTIES			
1.	WATER ABSORPTION	< 0.5%	< 0.20%	ISO-10545-3
2.	APPARENT DENSITY	> 0.50 %	> 2.10 g/cc	DIN 51082
C.	MASSIVE MECHANICAL PROPERTIES			
1.	Modulus of Rupture	MIN 40N/mm <sup>2</sup>	<0.20 %	ISO-10545-4
2.	IMPACT RESISTANCE	As. PER. MFG.	MIN.0.55	ISO-10545-5
D.	SURFACE MECHANICAL PROPERTIES			
1.	SURFACE ABRASION RESISTANCE	As. PER. MFG	MIM.CLASS-3	ISO-10545-5
2.	MOH'S HARDNESS	As. PER. MFG	MIN.4	EN 101

SR. NO.	CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	SEGMA VALUE	TEST METHOD
А.	REGULATORY PROPERTIESZ			
1.	DEVIATION IN LENGTH & WIDTH	± 0.5%	± 0.1 %	ISO-10545-2
2.	DEVIATION IN THICKNESS	± 5.0%	± 4.0 %	ISO-10545-2
З.	STRAIGTHNESS OF SIDES	± 0.5%	± 0.1 %	ISO-10545-2
4.	RECTANGULARITY	± 0.5%	± 0. %	ISO-10545-2
5.	SURFACE FLATNESS	± 0.5%	± 0.2 %	ISO-10545-2
6.	COLOR DIFFERENSS	UNALTERED	NO CHANGE	ISO-10545-16
7.	GLOSSINESS	AS PER MANUFACTURER	MIN. 90%	GLOSSO MTR.
В.	STRUCTURAL PROPERTIES			
1.	WATER ABSORPTION	< 0.5%	< 0.20%	ISO-10545-3
2.	APPARENT DENSITY	> 0.50 %	> 2.10 g/cc	DIN 51082
C.	MASSIVE MECHANICAL PROPERTIES			
1.	MODULUS OF RUPTURE	MIN 40N/mm <sup>2</sup>	<0.20 %	ISO-10545-4
2.	IMPACT RESISTANCE	As. PER. MFG.	MIN.0.55	ISO-10545-5
D.	SURFACE MECHANICAL PROPERTIES			
1.	SURFACE ABRASION RESISTANCE	As. PER. MFG	MIM.CLASS-3	ISO-10545-5
2.	MOH'S HARDNESS	As. PER. MFG	MIN.4	EN 101

SR. NO.	CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	SEGMA VALUE	TEST METHOD
А.	REGULATORY PROPERTIESZ			
1.	DEVIATION IN LENGTH & WIDTH	± 0.5%	± 0.1 %	ISO-10545-2
2.	DEVIATION IN THICKNESS	± 5.0%	± 4.0 %	ISO-10545-2
З.	STRAIGTHNESS OF SIDES	± 0.5%	± 0.1 %	ISO-10545-2
4.	RECTANGULARITY	± 0.5%	± 0. %	ISO-10545-2
5.	SURFACE FLATNESS	± 0.5%	± 0.2 %	ISO-10545-2
6.	COLOR DIFFERENSS	UNALTERED	NO CHANGE	ISO-10545-16
7.	GLOSSINESS	AS PER MANUFACTURER	MIN. 90%	GLOSSO MTR.
В.	STRUCTURAL PROPERTIES			
1.	WATER ABSORPTION	< 0.5%	< 0.20%	ISO-10545-3
2.	APPARENT DENSITY	> 0.50 %	> 2.10 g/cc	DIN 51082
C.	MASSIVE MECHANICAL PROPERTIES			
1.	MODULUS OF RUPTURE	MIN 40N/mm <sup>2</sup>	<0.20 %	ISO-10545-4
2.	IMPACT RESISTANCE	As. PER. MFG.	MIN.0.55	ISO-10545-5
D.	SURFACE MECHANICAL PROPERTIES			
1.	SURFACE ABRASION RESISTANCE	As. PER. MFG	MIM.CLASS-3	ISO-10545-5
2.	MOH'S HARDNESS	As. PER. MFG	MIN.4	EN 101

SR. NO.	CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	SEGMA VALUE	TEST METHOD
А.	REGULATORY PROPERTIESZ			
1.	DEVIATION IN LENGTH & WIDTH	± 0.5%	± 0.1 %	ISO-10545-2
2.	DEVIATION IN THICKNESS	± 5.0%	± 4.0 %	ISO-10545-2
З.	STRAIGTHNESS OF SIDES	± 0.5%	± 0.1 %	ISO-10545-2
4.	RECTANGULARITY	± 0.5%	± 0. %	ISO-10545-2
5.	SURFACE FLATNESS	± 0.5%	± 0.2 %	ISO-10545-2
6.	COLOR DIFFERENSS	UNALTERED	NO CHANGE	ISO-10545-16
7.	GLOSSINESS	AS PER MANUFACTURER	MIN. 90%	GLOSSO MTR.
В.	STRUCTURAL PROPERTIES			
1.	WATER ABSORPTION	< 0.5%	< 0.20%	ISO-10545-3
2.	APPARENT DENSITY	> 0.50 %	> 2.10 g/cc	DIN 51082
C.	MASSIVE MECHANICAL PROPERTIES			
1.	MODULUS OF RUPTURE	MIN 40N/mm <sup>2</sup>	<0.20 %	ISO-10545-4
2.	IMPACT RESISTANCE	As. PER. MFG.	MIN.0.55	ISO-10545-5
D.	SURFACE MECHANICAL PROPERTIES			
1.	SURFACE ABRASION RESISTANCE	As. PER. MFG	MIM.CLASS-3	ISO-10545-5
2.	MOH'S HARDNESS	As. PER. MFG	MIN.4	EN 101

E.	THERMO HYGROMETRIC PROPERTIES			
1.	FROST RESISTANCE	NO DAMAGE	NO DAMAGE	ISO-10545-12
2.	THERMAL SHOCK RESISTANCE	NO DAMAGE	NO DAMAGE	ISO-10545-9
3.	MOISTURE EXPANSION	NIL	NILL	ISO-10545-10
4.	THERMAL EXPANSION	MAX 9.0 x 10-6	NO DAMAGE	ISO-10545-8
4.	CRAZING RESISTANCE	As. PER. MFG	MIN. 10 CYCLE	ISO-10545-11

F	CHEMICAL PROPERTIES			
1.	CHEMICAL RESISTANCE	NO DAMAGE	NO DAMAGE	ISO-10545-13
2.	STAIN RESISTANCE	RESISTANT	RESISTANT	ISO-10545-14
G.	THERMO HYGROMETRIC PROPERTIES			
1.	ANTI SKID (COF)	As. PER. MFG	MATT<0.52,GLOSSY<	0.21 ISO-10545-17
1.	SLIP RESISTANCE (FRICTION CO )	As. PER. MFG	<144mm <sup>2</sup>	ISO-10545-17
1.	FIRE RESISTANCE	As. PER. MFG	FIREPROOF	N.A.
1.	LEAD & CADMIUM GIVEN OFF BY GLAZED TILES	As. PER. MFG	DOES NOT YELLD PB &	CD ISO-10545-7
1.		As. PER. MFG	DOES NOT YELLD PB &	CD ISO-10545-7

F.	CHEMICAL PROPERTIES				
1.	CHEMICAL RESISTANCE	NO DAMAGE	NO DAMAGE	ISO-10545-13	
2.	STAIN RESISTANCE	RESISTANT	RESISTANT	ISO-10545-14	
G.	THERMO HYGROMETRIC PROPERTIES				
1.	ANTI SKID (COF)	As. PER. MFG	MATT<0.52,GLOSSY<	0.21 ISO-10545-17	
1.	SLIP RESISTANCE (FRICTION CO )	As. PER. MFG	<144mm <sup>2</sup>	ISO-10545-17	
1.	FIRE RESISTANCE	As. PER. MFG	FIREPROOF	N.A.	
1.	LEAD & CADMIUM GIVEN OFF BY GLAZED TILES	As. PER. MFG	DOES NOT YELLD PB &	CD ISO-10545-7	
Withing Tiles have resistance to most of the stains / Chemicals but it is recommended to take due care while laving and day-to-day maintenance					

SR.NO.	NORMAL SIZE BOX	NO. OF TILES PER BOX	COVERAGE AREA	APPROX WEIGHT / BOX
1.	600mm x 1200mm	2 PCS.	1.44 Sq. Mtr.	36.00 Kgs.
2.	195mm x 1200mm	6 PCS.	1.404 Sq. Mtr.	36.00 Kgs.





#### Favor Ceramics Pvt Ltd,

Siromany Bussiness Centre Office No:13 BH Real Plaza, Lalpar, Morbi-363642 Morbi District, Gujarat Ph: +91 8943777716, +91 8943777730

#### **Favor Ceramics Pvt Ltd**

No.89/1, 1st Main, 1st Cross, Ex-Servicemen Colony, R.T.Nagar, Hebbal, Bangalore-560032 Ph :+91 8980020044, +91 8075965985 Email:info@favorceramics.com **Favor Ceramics Trading F.Z.C** P.O.Box:6919,C1, 3rd Floor,4128, Ajman Free Zone United Arab Emirates. Ph: +971 523094020, +971 569881319

www.favorceramics.com